

# SAFETY DATA SHEET

Product: WALLCOVERING PRIMER & SIZING  
Product Name: SR WOOD WALLCOVERING PRIMER  
Date Issued: JUNE 20, 2016

## 1. PRODUCT AND COMPANY IDENTIFICATION

Product: Wallcovering Primer & Sizing  
Product Name: SR Wood Wallcovering Primer  
Specific Use: Wallcovering, ceiling covering, various

Manufacturer: SR Wood, Inc.  
1801 Progress Way  
Clarksville, Indiana 47129  
Phone: (812) 288-9200  
Fax: (812) 288-5225

## 2. HAZARDS IDENTIFICATION

None according to GHS criteria.

## 3. COMPOSITION INFORMATION

<u>Component Name</u>	<u>CAS #</u>	<u>% by weight</u>	<u>TLV PPM</u>	<u>PEL-TWA PPM</u>
Ethylent Glycol	107-21-1	0.5%-1.0%	N.E.	N.E.
Texanol	25265-77-4	0.5%-1.0%	N.E.	N.E.
Trade Secret Ingredients	N.A.	98.0% - 99.0%	N.A.	N.A.

There are no ingredients in this product of unknown acute toxicity.

N.E. = Not Established      N.A. = Not Applicable

## 4. FIRST AID MEASURES

Eyes: Flush with water for 15 minutes. Seek medical attention if irritation persists.

Skin: Wash with soap and water. Seek medical attention if irritation develops or persists.

Inhalation: Move to fresh air and rest in position comfortable for breathing. If difficulty in breathing continues, seek medical attention.

Ingestion: Do not induce vomiting. Drink 2-3 glasses of water and seek medical attention.

No ingredient in this product is an IARC, NTP or OSHA listed carcinogen.

## 5. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Fluid, off white
Odor:	Mild, faintly sweet
pH:	8.8 – 9.8
Boiling Point and Range:	212°F - 471°F
Flash Point:	>201°F
Evaporation Rate:	Slower than ether
Flammability:	Nonflammable
Vapor Pressure:	17.5 mm HG @ 68°F
Vapor Density:	Heavier than air
Density:	8.9 Lbs/gal, 70°F
Solubility in Water:	Dispersible
Viscosity:	6,000 cP +/- 2,000, 70°F

## 6. FIRE FIGHTING MEASURES

Means of Extinguishing:	Carbon dioxide, dry chemical, foam or water
Unusual Fire or Explosion Risk:	None known

Do not enter confined fire space without proper protective equipment including NIOSH approved self-contained breathing apparatus. Water can be used to cool fire-exposed containers.

## 7. STABILITY AND REACTIVITY

Reactivity:	No hazardous reactions if stored and handled as prescribed
Chemical Stability:	Product is stable if stored and handled as prescribed
Hazardous Polymerization:	Will not occur; Product is chemically stable

## 8. TRANSPORT, HANDLING, STORAGE AND DISPOSAL

Transport:	Not regulated by D.O.T., IMO/IMDG or IATA; No hazard class
Handling:	Keep away from extreme heat. Do not get in eyes, on skin, on clothing. Do not swallow. Wash thoroughly after handling. Use adequate ventilation.
Storage:	Store in cool, dry area away in original container. Keep container closed when not in use. Avoid storing near strong oxidizing chemicals. Avoid extreme heat. Store above 45°F.
Disposal:	Dispose in accordance with applicable federal state and local law or regulation.

## 9. EXPOSURE CONTROLS / PERSONAL PROTECTION

Skin and Eye Protection:	Wear suitable clothing, gloves and eye protection.
Breathing Protection:	Use with adequate ventilation.
Ingestion Protection:	Do not swallow.

## 10. HEALTH HAZARD DATA

Eyes: Direct contact may cause irritation.  
Skin: May cause irritation to sensitive skin or open wounds.  
Inhalation: May cause irritation to respiratory passages.  
Ingestion: May cause nausea/gastrointestinal distress.

No ingredient in this product is an IARC, NTP or OSHA listed carcinogen.

## 11. REGULATORY INFORMATION

SARA Title III: No substances are contained subject to reporting requirements of EPCRA Section 313 of the Super Fund Amendments and Reauthorization Act, 40 CFR Part 372.

TSCA Status: All chemical substances in this material are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

No ingredient in this product is an IARC, NTP or OSHA listed carcinogen.

California Proposition 65 Chemical Warning (California Health and Safety Code #25249.5 et seq): This product contains chemicals known to the state of California to cause cancer, birth defects or reproductive harm.

## 12. OTHER INFORMATION

The data in this document is based on available information at the time of compilation. They describe the product merely in terms of health and safety requirements, whereby they should not be construed to warrant specific properties of the product.

### IMPORTANT

SR Wood, Inc. believes the information contained in this document was accurate at the time of preparation and was compiled using sources believed to be reliable. SR Wood, Inc. makes no expressed or limited warranty concerning the accuracy or completeness of the information presented. If a user is aware of other relevant information related to the processing of this product in the user's work place, they should consider including such information in the preparation of their own safety sheet for their work place. It is the responsibility of the user to investigate and understand other pertinent sources of information and to comply with all laws and procedures applicable to the safe handling and use of this product. It is the responsibility of the user to insure that this document is the most current version available.